

09/12/00
jc376 U.S. PRO

PATENT

Attorney Docket No. GOLDENH.001C1

Date: September 12, 2000

Page 1

ASSISTANT COMMISSIONER FOR PATENTS

WASHINGTON, D.C. 20231

ATTENTION: BOX PATENT APPLICATION

Sir:

Transmitted herewith for filing is the patent application of

Inventor(s): **Scott J. Jones and Kevin C. Hutton**

For: **INTEGRATED EMERGENCY MEDICAL TRANSPORTATION DATABASE SYSTEM**


Enclosed are:

- (X) 17 sheet(s) of drawing.
- (X) Return prepaid postcard.
- (X) This application is a continuation of prior application 09/033,440, filed on March 2, 1998.
- (X) A small entity statement was filed in the prior application, and such status is still proper and desired.
- (X) Incorporation by Reference. The entire disclosure of the prior application is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.

CLAIMS AS FILED

FOR	NUMBER FILED	NUMBER EXTRA	RATE	FEE
Basic Fee			\$345	\$345
Total Claims	1 - 20 =	0 ×	\$9	\$0
Independent Claims	1 - 3 =	0 ×	\$39	\$0
If application contains any multiple dependent claims(s), then add			\$130	\$0
FILING FEE TO BE PAID AT A LATER DATE		\$345		

- (X) Please use Customer No. 20,995 for the correspondence address.



Michael L. Fuller
Registration No. 36,516
Attorney of Record

S:\DOCS\MLF\MLF-3947.DOC:091200

09/12/00
JC839 U.S. PTO

KNOBBE*
MARTENS*
OLSON*
BEAR
OLSON*
BUNKER
NIEMAN
ROSE
JAMES F. LESNIAK
NED A. ISRAELSEN
DREW S. HAMILTON
JERRY T. SEWELL
JOHN B. SGANGA, JR.
EDWARD A. SCHLATTER
GERARD VON HOFFMANN
JOSEPH R. RE
CATHERINE J. HOLLAND
JOHN M. CARSON
KAREN VOGEL WEIL
ANDREW H. SIMPSON
JEFFREY L. VAN HOOSEAR
DANIEL E. ALTMAN
MARGUERITE L. GUNN
STEPHEN C. JENSEN
VITO A. CANUSO III
WILLIAM H. SHREVE
LYNDA J. ZADRA-SYMEST
STEVEN J. NATAUPSKY
PAUL A. STEWART
JOSEPH F. JENNINGS
CRAIG S. SUMMERS
ANNEMARIE KAISER
BRENTON R. BABCOCK

THOMAS F. SMEGAL, JR.
MICHAEL H. TRENHOLM
D'ANE M. REED
JONATHAN A. BARNEY
RONALD J. SCHOENBAUM
JOHN R. KING
FREDERICK S. BERRETTA
NANCY WAYS VENSKE
JOHN P. GIEZENTANNER
ADEEL S. AKHTAR
GINGER R. DREGER
THOMAS R. ARNO
DAVID N. WEISS
DANIEL HART, PH.D.
DOUGLAS G. MUEHLHAUSER
LORI LEE YAMATO
MICHAEL K. FRIEDLAND
STEPHEN M. LOBBIN
STACEY R. HALPERN
DALE C. HUNT, PH.D.
LEE W. HENDERSON, PH.D.
DEBORAH S. SHEPHERD
RICHARD E. CAMPBELL
MARK M. ABUMERI
JON W. GURKA
ERIC M. NELSON
MARK R. BENEDICT, PH.D.
PAUL N. CONOVER
ROBERT J. ROBY
SABING H. LEE
KAROLINE A. DELANEY
JOHN W. HOLCOMB
JAMES J. MULLEN, III, PH.D.

09-13-00
INTELLECTUAL PROPERTY LAW
KNOBBE, MARTENS, OLSON & BEAR
A LIMITED LIABILITY PARTNERSHIP INCLUDING
PROFESSIONAL CORPORATIONS
PATENT, TRADEMARK AND COPYRIGHT CAUSES
550 WEST C STREET
SUITE 1200
SAN DIEGO, CALIFORNIA 92101-3505
(619) 235-8550
FAX (619) 235-0176
INTERNET WWW.KMOB.COM

JOSEPH S. CIANFRAN
JOSEPH M. REISMAN, PH.D.
WILLIAM R. ZIMMERMAN
GLEN L. NUTTALL
ERIC S. FURMAN, PH.D.
TIRZAH ABE LOWE
GEOFFREY Y. IIDA
ALEXANDER S. FRANCO
SANJIVPAL S. GILL
SUSAN M. MOSS
JAMES W. HILL, M.D.
ROSE M. THIESSEN, PH.D.
MICHAEL L. FULLER
MICHAEL A. GUILIANA
MARK J. KERTZ
RABINDER N. NARULA
BRUCE S. ITCHKAWITZ, PH.D.
PETER M. MIDGLEY
THOMAS S. MCCLENAHAN
MICHAEL S. OKAMOTO
JOHN M. GROVER
MALLARY K. DE MERLIER
IRFAN A. LATEEF
AMY C. CHRISTENSEN
SHARON S. NG
MARK J. GALLAGHER, PH.D.
DAVID G. JANKOWSKI, PH.D.
BRIAN C. HORNE
PAYSON J. LEMEILLEUR
WILLIAM G. BERRY
DIANA W. PRICE

OF COUNSEL
JERRY R. SEILER
PAUL C. STEINHARDT
JAPANESE PATENT ATTY
KATSUHIRO ARAI**
EUROPEAN PATENT ATTY
MARTIN HELLEBRANDT
KOREAN PATENT ATTY
MINCHEOL KIM
SCIENTISTS & ENGINEERS
(NON-LAWYERS)
RAIMOND J. SALENIEKS**
DANIEL E. JOHNSON, PH.D.**
JEFFERY KOEPKE, PH.D.**
KHURRAM RAHMAN, PH.D.
JENNIFER A. HAYNES, PH.D.
BRENDAN P. O'NEILL, PH.D.
THOMAS Y. NAGATA
LINDA H. LIU
YASHWANT VAISHNAV, PH.D.
MEGUMI TANAKA
CHE S. CHERESKIN, PH.D.**
ERIK W. ARCHBOLD
PHILIP C. HARTSTEIN
JULIE A. HOPPER
CHRIS S. CASTLE
JAMES W. AUSLEY
R. P. CARON, PH.D.
JENNIFER HAYES
KIRK E. PASTORIAN, PH.D.
CHARLES T. RIDGELY
KEITH R. MCCOLLUM
LANG J. MCHARDY

JC860 U.S. PTO
09/659866
09/12/00

* A PROFESSIONAL CORPORATION
† ALSO BARRISTER AT LAW (U.K.)
** U.S. PATENT AGENT

Assistant Commissioner for Patents
Washington, D.C. 20231


CERTIFICATE OF MAILING BY "EXPRESS MAIL"

Attorney Docket No. : GOLDENH.001C1
Applicant(s) : Scott J. Jones and Kevin C. Hutton
For : INTEGRATED EMERGENCY MEDICAL
TRANSPORTATION DATABASE SYSTEM
Attorney : Michael L. Fuller
"Express Mail"
Mailing Label No. : EL587856407US
Date of Deposit : September 12, 2000

I hereby certify that the accompanying

Transmittal in Duplicate; Specification in 34 pages; 17 sheets of drawings; Return
Prepaid Postcard

are being deposited with the United States Postal Service "Express Mail Post Office to Addressee"
service under 37 CFR 1.10 on the date indicated above and are addressed to the Assistant Commissioner
for Patents, Washington, D.C. 20231.


Darla Lallo

S:\DOCS\MLF\MLF-3951.DOC
091200

201 CALIFORNIA STREET
SUITE 1150
SAN FRANCISCO, CALIFORNIA 94111
(415) 954-4114
FAX (415) 954-4111

620 NEWPORT CENTER DRIVE
SIXTEENTH FLOOR
NEWPORT BEACH, CALIFORNIA 92660
(949) 760-0404
FAX (949) 760-9502

3801 UNIVERSITY AVENUE
SUITE 710
RIVERSIDE, CALIFORNIA 92501
(909) 781-9231
FAX (909) 781-4507

1900 AVENUE OF THE STARS
SUITE 1425
LOS ANGELES, CALIFORNIA 90067
(310) 551-3450
FAX (310) 551-3459

INTEGRATED EMERGENCY MEDICAL TRANSPORTATION DATABASE SYSTEM

5

Related Applications

This application is a continuation of U.S. application 09/033,440, filed March 2, 1998.

Background of the Invention

10

Field of the Invention

This invention relates to an integrated medical database system. More specifically, this invention relates to a medical database for the emergency medical transportation industry.

15

Description of the Related Technology

20

Current documentation procedures in the air medical transport industry are based on an inefficient paper and pencil technology. Important information is frequently collected on loose sheets of paper. In the environment of emergency medical transport, little time is available to neatly chart and document all pertinent and required information on a single document. Dispatch data, demographic data and clinical data are normally tracked as fragmented pieces of information which are later coalesced into a complete patient chart. In many cases, these data include the same information, thus forcing the input of redundant information. The resultant chart is therefore vulnerable to being incomplete and unreliable. In a medical setting, incomplete information can lead to disastrous clinical results.

25

30

This same technology is used to support industry quality improvement and billing procedures and submit letters of transport justification. This paperwork is usually carried out at a later date, prolonging account receivable times in many instances to the point of compromising and jeopardizing service compensation. Inventory stocking and tracking is similarly a victim of extended turnover times and is often incomplete and inaccurate.

The fragmentation throughout the medical transport environment is also evident in the myriad of entities throughout the country practicing different standards of care and documentation. As is the case in other segments of the healthcare industry, even seemingly simple tasks of communicating among the various entities, as well as among sections of a single providing entity, is severely hampered by the lack of a common communication format. This is especially evident when certain aspects of the system (such as computerized clinical laboratory result displays) have been upgraded with a uniquely tailored computerized system, while the remaining functions are still performed in an archaic manner. While the upgraded system may be effective for one singular aspect, such as dispatching, lab reporting, or chart dictating, the remainder of the system does not improve its effectiveness due to the other archaic components.

Although others have attempted to remedy this conflict, no fully integrated medical systems have been developed. For example, the Air Medical Software (Innovative Engineering of Lebanon, New Hampshire) provides computer software for dispatching emergency crews to accident scenes and managing flight information. However, it does not provide comprehensive integration of the flight information with a clinical diagnosis, billing system and administration system.

Air medical transport services suffer from a lack of understanding as to their effectiveness by governmental, academic and commercial organizations. A system is needed to collect solid statistics on how these systems can save lives and justify their existence and growth. Furthermore, medical crew evaluations and areas for improvement can be compared to known benchmarks after statistics on past service become widely available.

Therefore, what is needed is a comprehensive system that includes modules for dispatching emergency medical teams, tracking their movement to and from the accident scene, managing a clinical diagnosis and treatment and accurately billing the patient for the services rendered.

Summary of the Invention

One embodiment of the present invention is a computerized integrated data management system for tracking a patient incident. The data management system

includes: a first module capable of dispatching an emergency transport crew specific to a patient incident requiring emergency medical care by the emergency transport crew; and a second module capable of receiving information from the first module and billing a patient appropriately for costs indicative of the patient incident.

5 Another embodiment of the invention is a computerized integrated data management system for tracking a patient incident that includes: a first module capable of interpreting data relating to the medical condition of a patient involved in a patient incident requiring emergency medical care by an emergency medical transport crew and determining a diagnosis for the patient; and a second module capable of receiving
10 information from the first module and billing the patient appropriately for the patient incident.

Yet another embodiment of the invention is a computerized method of generating a patient encounter record. The method includes the steps of: collecting flight information relating to an emergency transport crew dispatch; collecting patient
15 information from a clinical encounter associated with a patient incident requiring emergency medical care by the emergency transport crew; and integrating the patient information with the flight information to produce an encounter record indicative of the patient's clinical encounter.

Still another embodiment of the invention is a method of diagnosing an illness in
20 a patient. This method includes the computer implemented steps of: collecting information from a physical exam at the site of a patient's incident requiring emergency medical care by an emergency medical transport crew; determining a list of possible diagnoses based on the physical exam; and recording the diagnosis results in a centralized database of patient emergency medical information.

25

Brief Description of the Drawings

Figure 1 is a diagram illustrating the on-line computing environment of the medical database system, including a dispatch interface computer, server computer, backup computer, clinical and diagnosis interface computer, administrative interface
30 computer and billing interface computer.

Figure 2 is a flow diagram illustrating the overall process performed by the medical database system.

Figure 3 is a block diagram illustrating the flow of data among the dispatch module, the clinical module, and the billing module, in one embodiment of the medical database system.

Figure 4 is a flow diagram illustrating the Initialize Dispatch Module process of Figure 2.

Figure 5 is a flow diagram illustrating the Initialize Clinical Module process of Figure 2.

Figure 6 is a flow diagram illustrating the Run Physical Exam process of Figure 5.

Figure 7 is a flow diagram illustrating the Determine Diagnosis and Rank process of Figure 5.

Figure 8 is a flow diagram illustrating the Initialize Administration Module process of Figure 2.

Figure 9 is a flow diagram illustrating the Advanced Procedure Treatment process of Figure 5.

Figure 10 is a flow diagram illustrating the Initialize Billing Module process of Figure 2.

Detailed Description of the Preferred Embodiment

The following detailed description presents a description of certain specific embodiments of the present invention. In this description, reference is made to the drawings wherein like parts are designated with like numerals throughout.

For convenience, the discussion of the invention is organized into the following principal sections: Introduction, Hardware Overview, Software Initialization, Data Flow Between Modules and Description of Software Modules.

INTRODUCTION

The present invention relates to an object oriented, interactive, international, client-server service for the medical transport industry. The service integrates all aspects of patient record documentation into a single complete electronic chart. A server computer provides chart database information access to multiple transport providers simultaneously by securely transmitting, storing and maintaining standardized patient data, for instance, using guidelines set forth by the Scrambling Standards Organization. Individual transport-providing entities, such as helicopter and ambulance companies, obtain coded access to this server via phone lines with a modem equipped personal computer. Security is maintained by assigning each entity a unique code or identifier. Integrated Services Digital Network (ISDN) lines, Digital Satellite Systems (DSS) or digital wireless systems may also be used for communication.

Each crew member involved in the patient's chart documentation, i.e. dispatcher, flight nurse, paramedic and physician, as well as administrator and collector, possess coded access to chart portions relevant to their responsibilities and level of care provided. The chart is then electronically generated from the compendium of the information entered in a standardized fashion and in accordance with minimum industry documentation requirements and the inventory of financial health care standards. The system provides complete and accurate chart documentation and maintains internal consistency between each separate module. Furthermore, any sentinel events are automatically referred to the appropriate, responsible party. A sentinel event is any action during the encounter that might require a further review. Examples of sentinel events are scene times exceeding 40 minutes, nonsensical data entry by an emergency transport crew member, supply shortages for equipment not utilized or repeated claim denials.

Billing can be submitted electronically to the appropriate party in an appropriate format which reduces the accounts receivable times for each patient encounter. Letters of justification are automatically generated as well as follow up letters and utilization review reports. Inventory reports and lists of necessary base supplies and medicines are also electronically updated to appropriate supply centers and administrators. Customized and research reports can also be provided rapidly.

Data security and an automatic backup are provided. Although the chart data is normally made the property of the respective transport service provider, the system can retain non-proprietary data to provide industry benchmarking, quality assurance analysis and clinical research opportunities. Such standardized data collection and documentation will furthermore enable the development of an Emergency Medical Services data library to assist in the justification and legislation of governmental preventive policies for public safety.

HARDWARE OVERVIEW

Figure 1 provides an overview of the computer hardware involved in one embodiment of the medical database system. In this embodiment, the medical database system 10 includes a server computer 12. The server computer 12 can be based on any well-known microprocessor such as those manufactured by Intel, Motorola, IBM or DEC. The server computer should be able to enable rapid simultaneous access to many users of the system. In one preferred embodiment, the server computer 10 is an Intel Pentium class computer having at least 32 Megabytes of RAM and a four gigabyte hard disk drive and a 100MHz processing speed. Of course, many other standard or non-standard computers may support an implementation of the present invention.

The database application may be programmed in, for instance, ACIUS's 4th Dimension language and used in conjunction with the 4D Server and Client program. Also, another alternative computer environment is Microsoft Corporation's Visual Basic language with the BackOffice 2.5 Client Server program. It can therefore run in a standard Windows/Macintosh point-and-click office environment, and requires no additional, specialized software programming from the user. Of course, other standard or non-standard computer environments may support an implementation of the present invention.

As illustrated, the server computer can access a statistical database 14 to store and extract statistical information from data entered during patient encounters. The collected statistics might include, for example, average scene and transport times, number of transport requests per demographic region and time of year, average number of advanced procedures performed by crew members and number of complications

encountered. In addition, the database 14 can hold information relating to the average length of time to process claims by category and payment plan.

The server computer can also be linked to a regional trauma database 15. The database 15 holds information relating to local trauma centers, emergency medical practice and other local trauma-related information.

The dispatch module on the server computer 12 can be accessed via an interface to a dispatch computer 20, which might reside, for example, at the dispatch center that receives the initial call to deploy an emergency medical team. The dispatch computer 20 can provide just a communications interface to the server computer 12 so that it acts as computer terminal, or it can contain a portion of the dispatch module.

Based on the scene location and needs of the patient, the dispatch center might deploy a helicopter 24, airplane 25 or ambulance 26. The dispatch computer 20, as explained in more detail below, communicates with software for collecting information on the patient encounter and scheduling and deploying a crew to assist the injured patient. Within the medical database system 10, the helicopter 24, airplane 25 or ambulance 26 would include a portable computer 30 that is used by the emergency medical team during the patient encounter. A wireless connection 32 can be made by the portable computer 30 to the server computer 12 to update the database 14 after any data has been entered. The portable computer 30 can include clinical and diagnosis modules to assist the emergency medical team in treating the injured patient, or can act as a terminal to communicate with these modules on the server computer 12. As will be explained below, the clinical and diagnosis modules can help the emergency medical team determine the proper diagnosis and treatment of the patient.

The medical database system 10 also includes a billing computer 36 in communication with the server computer 12. The billing computer 36 interfaces with the server computer 12 to run the billing module for tracking inventory. The software billing module can be stored directly on the billing computer 36 or, alternatively, stored on the server 12 and accessed via the billing computer 36. The billing module is used to track inventory and medical equipment. In addition, it is used during the patient encounter for providing billing functions within the medical database system 10. The

billing computer 36 communicates with a laser printer 38 to provide printed reports and bills to hospitals, patients and medical centers.

An administration computer 40 interfaces with the server computer 12 to provide run administrative reports. These reports might relate to the statistical information contained in the statistical database 14. In addition, the administration computer 40 might run reports that relate to payroll, inventory, flight training or many other administrative issues.

It should be noted that the dispatch interface computer 20, portable computer 30 and billing computer 36 can communicate with the server computer 12 through a variety of mechanisms. For example, a wireless LAN or cellular network may connect each computer with one another. In another embodiment, dedicated or dial-up phone lines can be used to communicate between the different computers.

SOFTWARE INITIALIZATION

Referring now to Figure 2, an overall process 50 of initializing the various software modules within the medical database system 10 is shown. Although Figure 2 illustrates the initialization of all software modules in the system, it should be realized that each module can be initialized within a separate computer. For example, the dispatch module can be initialized within the dispatch computer 20 while the billing module is initialized within the billing system 36.

The process 50 begins at a start state 52 and then moves to state 54 wherein a user password is requested. If the user password is accepted at a decision state 55, the process 50 moves to a decision state 56 to determine whether this is a repeated access to the system. However, if the password is not accepted at the decision state 55, the process 50 returns to state 54 to re-request the user password.

If a determination is made at the decision state 56 that this is a repeated access, the process 50 moves to a state 57 to log the time of the access and then to a state 58 to log the identity of the user making the access. A log of the access changes to the system are then logged at a state 59. The process 50 then moves to a decision state 60 wherein a determination is made whether a dispatcher has initiated this call. However, if a

determination is made at the decision state 56 that this was not a repeated access, the process 50 moves directly to the decision state 60.

If a determination is made at the decision state 60 that a dispatcher initiated this call, the process 50 moves to state 61 wherein a scheduling submodule is initialized.

5 The scheduling submodule, as discussed above, tracks base information, crew schedules, helicopter flight times and the like. The process then moves to state 62 wherein the scheduling and base information from the dispatcher is shared and extracted into the clinical and diagnosis modules, and thereafter sent to the clinical and diagnosis computer interface 30 (Figure 1). The process 50 then moves to a process state 65
10 wherein the dispatch module is initialized. However, if a determination was made at the decision state 60 that a dispatcher did not originate the call, the process 50 moves to state 63 and initializes the scheduling submodule. The process 50 then moves to process state 65 and initializes a dispatch module.

The dispatch module is divided into four interrelated submodules: Schedule,
15 Standby, Flight and Transfer (not shown). The Scheduling submodule accomplishes the task of preparing schedules for the respective transport bases of an air medical service. The scheduling submodule is responsible for tracking dispatch, flight crew members, base physician, pilot (co-pilot), and stationed helicopters in service for a given shift. Data can be entered well in advance and updated up to the time a flight is actually
20 dispatched. The process 65 of initializing and running a dispatch module is explained in more detail with reference to Figure 4.

The Scheduling submodule shares shift information already entered in the Scheduling module to generate a flight record based on the date, time, and base from which the flight takes place. As mentioned above, upon flight dispatch, the dispatcher
25 will receive the name of the current base physician, crew and helicopter information for verification.

The Standby submodule enables the dispatcher to collect information regarding the accident scene location, ground contacts, basic patient scenario and demographics prior to committing and dispatching a flight. This submodule allows agencies
30 requesting air medical transport services to provide an early warning, verify the need for air transport and hence shorten the response and flight time to the accident scene.

The Transfer submodule coordinates patient transfers from one location to another. For example, a critical patient may need to be transported from a local hospital to a specialty hospital in order to receive a unique operation. The Transfer module manages the information associated with the patient transfer, such as origin, destination, purpose and the like.

The Flight submodule constitutes the main portion of the Dispatch module, and records information pertinent to the flight proper. Flights are tracked through timed and recorded position checks in accordance with Federal Aviation Agency (FAA) and Commission on Accreditation of Medical Transport requirements. Accident scenes are recorded with rendezvous and landing zone locations, address and zip codes as well as standard map coordinates, such as Thomas Brothers Reference points. In addition, waypoint/longitude-latitude location, the requesting agency, any ground contacts, and an appropriate communication frequency and the reason for call are all recorded by the flight submodule.

Further, the type and nature of call, base hospital, and name of the closest and receiving hospitals are collected. Mileage traveled and time stamping, including scene time, flight time and specialty times, such as crew change and pick up times as well as on site times, are calculated and recorded automatically from the information provided and dispatch feedback from flight crew. In addition, the reason and time for flight diversions and re-routings and elected ground transports with justification and alternate plans are entered into the system as well. Multiple flights can be orchestrated and recorded in parallel, while dispatcher and/or base physician change shifts during a flight - all data is constantly updated. When backup vehicles are required and dispatched, the flight information is transferred automatically from the primary responding crew to the backup crew.

Flight information is saved after verification as a dispatch record with a monthly flight number. A monthly American Air Medical Service (AAMS) record can then be automatically generated. Flight information can be canceled at any time, as well as deleted completely from the database with the appropriate option.

Once the dispatch module has been initialized at the process 65, a clinical module is initialized at a process 70. The Clinical module is also divided into several

submodules: patient demographics, basic incident description, treatment rendered prior to air medical service arrival, general assessment including vital signs, intake and output as well as trauma scores, physical exam by systems, impression and diagnosis, treatment including medications and advanced procedures, en route events, quality assurance, justification of transport, and patient disposition. A specialized neonatal submodule can also be accessed if necessary.

Although any submodule can be accessed to begin a chart, the submodules are normally ordered in the traditional clinical format. Patient demographic information is first taken automatically from the dispatch data, if available. The patient information is first completed; including flight reference, date, base, scene, reason for transport, scene, landing and scene times, patient name, age, sex, weight and race, allergies, current medications, past medical history, place of exam, language barrier existence, type of call, nature of call, response such as night flight, in/out county intensive care unit to intensive care unit (icu-icu), transport team only, out county emergency department to emergency department (ed-ed) or emergency transport service with no charge.

Incident information, including the occurrence time, incident type (for example, motor vehicle accident, gun shot, fall, stabbing, drowning, loss of consciousness, pedestrian, cerebrovascular accident, chest pain, arrest, burn), type and description of accident (damage, extrication, loss of consciousness, other) can then be entered. Next, any treatment that was provided prior to air medical crew arrival is entered into the system. The name of first responders, along with the level of care provided and type of immobilization, airway management, intravenous access, cardiopulmonary resuscitation, medications and other treatments are recorded. The patient's Glasgow, CRAMS and Champion trauma scores are recorded separately, and in such a manner that consistency amongst them is assured.

The patient's vital signs, including systolic/diastolic blood pressure, pulse rate, respiratory rate, pulse oximetry, fluid intake/output along with the time of measurement are recorded. In addition, the arrival time of the aircraft on the scene, departure and hospital arrival times are once again displayed. Other important data pertinent to vital signs can be recorded in this module.

The physical examination portion is also divided into sections related to particular physiological components. A default standard normal examination for each system is provided, wherein all or portions thereof can be selected. Results can be typed, or selected from standard examination result options. The first examination is a neurological examination with input options such as alert, oriented times three, full recall, pupils equal and round and reactive to light and moving all extremities. The next examination is a skin exam with options such as good color, warm and dry, capillary refill less than 2 seconds, pulses well palpable. A head, eyes, ears, nose and throat exam can be performed, followed by a neck and chest examination. A cardiac examination having options such as regular rate and rhythm, no murmur rubs or gallop, and normal sinus rhythm on the monitor can be performed. The next examination can be abdominal, followed by pelvic and extremities examinations.

Once the results of these standard body examinations are received by the system, the physicians diagnoses are entered. In addition, the system generates pre-set diagnoses based on the results it has received during the clinical examination. Many of the results can be automatically recorded by having the monitoring equipment hooked directly into the portable computer system. Industry standard ICD-9 billing codes for each diagnosis can then be automatically determined and recorded by the system. These codes are used by the billing module to generate statements to the patient.

A treatment plan is next entered into the system by the emergency team. The treatment that occurred prior to the arrival of the air medical crew is automatically completed from the aforementioned section, if provided. Equipment used (Electrocardiogram, vital sign monitor, pulse oximeter, suction devices, ventilator, etc.), respiratory management, as well as intravenous access by crew, and neurological immobilization techniques (cervical collar, long/short back board, ked sled, etc.) and miscellaneous techniques (temperature measurements, bulb syringe, suction catheter, etc.) are recorded. All medications other than those applied under the standard advanced cardiac life support protocols are recorded from an extensive list within the system. Advanced procedures with procedure-specific documentation are recorded accurately. These include intubation, chest tube placement, pericardiocentesis, invasive

line placement, advance cardiac life support, special medication administration, Mannitol infusion or Solumedrol administration.

5 Special documentation for the advanced procedure of intubation/cricothyrotomy includes the use (or mouse) of rapid sequence intubation techniques, route of successful intubation along with tube size, best visualization procedure, depth at which tube is secured, and confirmation technique of tube placement. Identification of successful and unsuccessful intubation medical crews can also tracked as a way to identify possible crew training issues. Pulse oximetry recordings can be performed before or after the procedure. Extensive choices are available to comment on the procedure and note any
10 complications that were encountered by the medical team. The medications used during this procedure are recorded in a special medications submodule.

The special medications submodule records, in addition to rapid sequence intubation (RSI) medications, the name and dose of the medication given along with the identification of the administering crew member in accordance with Joint Commission
15 on Accreditation of Health Care Organization Requirements (JCAHO). Any comments associated with the drug administration and ensuing complications can be recorded in this submodule.

Special documentation for any chest tube placement procedure is included in the system to record the patient's indication, type of technique (tube versus needle),
20 identification of successful and unsuccessful performers, location of placement, size of tube and time of placement. In addition, the aspirate type and amount are recorded. Again, pulse oximetry measurements pre and post procedure are recorded into the system. Comments and complications ensuing from the procedure are as above recorded.

25 For pericardiocentesis, the procedure, time, identification of successful and unsuccessful performers, catheter and syringe sizes, aspirate amount and type, patient improvement as well as comments and complications (vascular damage, air embolus, etc.) are all included in the data acquisition by the system.

Invasive line procedure documentation includes identification of successful and
30 unsuccessful performing crew, site of placement, type of access line, time of placement

and comments and complications encountered. This can be used later for medical crew evaluations and training.

5 The advanced cardiac life support documentation includes the beginning and end of resuscitation times, medications in the order and dose administered, electricity administered (defibrillation, cardioversion), as well as other comments relating to the events that occurred. Vital signs and times are recorded or directly downloaded from the recording monitor.

10 The administration of particular drugs such as Mannitol are tightly controlled by law and require special documentation. The medical database system can complete this documentation by collecting the identification of the administering crew member, the patient's Glasgow Coma Score pre and post administration, dose given, indications and comments and complications encountered.

15 Similarly, Solumedrol administration also requires extra documentation, including identification of crew administering the medication, estimated level of neurological injury, dose and time given, as well as comments and complications encounters (allergic reaction, hypotension, etc.).

20 Other data is collected en route from the incident scene to the destination. The data collected can include the changed/ unchanged patient status, name of person to whom report is given, name of accepting physician, and follow up status of transported patient. The process 70 of initializing and running a clinical module is explained in more detail with reference to Figure 5.

25 The process 50 then moves to a process 75 and initializes an administration module for collecting and processing the information from the clinical encounter. The hierarchical structure of the system enables it to perform administrative services along with quality assurance as well. Indeed, from the chart's data, standard administrative reports can be automatically generated and sent to the appropriate personnel. Furthermore, a letter of justification for transport and interventions rendered is automatically generated in the required format from the chart components. With this same service, thank you letters and letters of follow up are directed as well to the responsible parties involved. The Emergency Medical Service can be provided with key preventive information on environmental health and public safety hazards encountered

30

on scene by the transport crew. Also, internal reports and memos can be disseminated across the network of computers. And sentinel events such as those associated with neglect of care or failure to provide adequate care and safety, will immediately and automatically be called to the attention of the appropriate administrator to provoke corrective action. The administration module process 75 is explained in more detail with reference to Figure 8.

Once the administration process has begun and the patient information is collected by the system 10, the process 50 moves to a process state 80 and initializes the billing module of the medical database system. The billing component takes advantage of the extensive patient information collected in the aforementioned modules. The demographic documentation is automatically incorporated from the dispatch and clinical modules. Precise billing for procedural interventions and inventory used in the treatment of a patient is exactly accounted for as was noted and recorded in the clinical component. In addition, procedures requiring the use of extensive inventory, such as intubations, chest tube placements, etc., are automatically evaluated for use of the required specific paraphernalia for completeness on the bill. When medications are administered, the billing component automatically selects the number of inventory unit amounts to be charged for from the total dose administered. The bill can then be processed electronically in the required format to the correct agency.

The same data used for billing is also used to update stock inventory on the respective transport vehicle and base after each encounter, to ensure adequate equipment supplies. Coupled to the supplier's inventory list, this information can automatically signal the need for delivery of equipment to the required base. Once the billing module is initialized at process 80, the overall process 50 terminates at an end state 85.

DATA FLOW BETWEEN MODULES

Referring now to Figure 3, a block diagram of the data flow between the various modules within the medical database system is illustrated. Figure 3 illustrates the flow of data between a dispatch module 100, clinical module 105 and billing module 110. The dispatch module 100 includes a scheduling submodule 112, a standby submodule 114, a transfer submodule 116 and a flight submodule 118. These various submodules

process information received into the overall dispatch module 100. For example, crew information 120 is processed within the schedule submodule 112. In addition, scene information 122 is processed within the standby submodule 114.

Patient demographics and patient lab information 124 is processed within the transfer submodule 116. Flight tracking and other transportation information 126 is processed within the flight submodule 118. Once the various submodules within the dispatch module 10 have processed their respective information, a set of patient demographic information 130 and flight information 135 is made available to the remaining modules. For example, some of the patient demographic information 130 is imported into the clinical module 105.

In addition, many other pieces of data are placed within the clinical module 105. For example, the general assessment 140 of the patient that is taken by the emergency medical team is imported into the clinical module for further processing. In addition, other incident information 142 such as the type of incident (car accident, motorcycle accident, etc.) is sent to the clinical module 105. Prior treatment information 144 obtained from a physical exam of the patient or other information is also sent to the clinical module 105.

The prior treatment information might be important in determining whether the patient had already been treated for similar injuries thereby affecting the clinical diagnosis. Information collected from the physical exam 146 at the scene is also sent to the clinical module 105. In addition, any diagnosis 148 from the attending emergency medical team can be sent to the clinical module 105. It should be noted, as discussed below, that the medical database system 10 may also provide a diagnosis based on the physical exam information 146 and other information within the clinical module 105. This will be explained in more detail below.

Information relating to the treatment 150 of the patient is also sent to the clinical module 105. The medical database system 10 also includes a quality assurance database 152 which allows the emergency medical team to make suggestions or other comments that may be useful in additional treatments or incidents. For example, if the emergency medical team notes that a particular series of exam results has led to a unique diagnosis, this information can be input into the clinical module 105. Thus, the next time these

same physical exam results are seen in a patient, the new diagnosis can be suggested to the emergency medical team.

Once the clinical module 105 has received its necessary information, data is output to the billing module 110. For example, a description of the diagnosis 160, a treatment description 162 or ICD-9 codes 165 can be sent from the clinical module 105 to the billing module 110. As is well known, ICD-9 codes are a set of unique codes referring to most well known medical procedures. These codes are used throughout the insurance industry to obtain payment for various medical procedures. In addition to the data from the clinical module 105, patient data 168 can be obtained from the patient demographic information 130. The flight information 135 can also be retrieved into the billing module 110. This information is then used within the billing module 110 to generate reports and bills 170. As can be expected, these reports and bills are sent to the various insurance companies and insurance providers. Thus, the medical database system 10 is an integrated system for providing many services within the medical industry.

DESCRIPTION OF SOFTWARE MODULES

1) The Dispatch Module

Referring now to Figure 4, a flow diagram illustrating the initialized dispatch module process 65 (Figure 2) is described. The process 65 begins at a start state 200 and then moves to state 202 wherein the scheduling submodule is initialized. The scheduling submodule receives information 120 related to the emergency medical team crew, type of vehicle and other scheduling related information. The process 65 then moves to state 204 wherein any information relating to the transportation base is updated. The base includes the permanent physical location of the ambulance 26 or helicopter 24. Base information may also include the particular helicopter or ambulance chosen and the emergency medical team that will be in charge of the particular patient encounter, as well as base status (available, closed or reserved), and base-specific weather (visibility, precipitation, temperature, chill factor and cloud ceiling).

The process 65 then moves to state 206 wherein any shift information from the crew is imported into the scheduling submodule. A flight record is then begun at a state

208 and the process 65 moves to a decision state 210 to determine whether the crew is in a standby mode (e.g. waiting for a call). If a determination is made at the decision state 210 that the crew has been placed in a standby mode, the process 65 moves to a decision state 212 to determine whether a dispatch order has been given. If a dispatch order is not given, then a new record can be initiated by the dispatcher at a state 214 and the process returns to the decision state 210.

If a determination is made that the crew has received a call and is no longer in a standby mode at the decision state 210, or has been dispatched at the decision state 212, the process 65 moves to a decision state 216 (Figure 4b) to determine whether the ambulance or helicopter will be transporting a patient from an incident scene to a hospital facility. If the type of transport is not from a scene to a hospital facility, the process 65 moves to a decision state 218 to determine whether an interfacility transfer, such as between hospitals, is required. If an interfacility transfer is required, the process 65 moves to state 220 and updates any interfacility information in the medical database system.

The process 65 then moves to state 224 to determine whether the interfacility transfer is in compliance with the Consolidated Budget Reconciliation Act (COBRA) or the Omnibus Budget Reconciliation Act (OBRA). The process 65 then moves to a decision state 226 to determine whether the interfacility transfer is within the COBRA compliance guidelines. If the interfacility transfer is not within COBRA compliance guidelines, then the process requests updated information at a state 228 and returns to state 220 to update the interfacility information.

If a determination is made at the decision state 226 that the interfacility transfer is within COBRA compliance, the process 65 moves to state 230 and begins to track the flight coordinates. In addition, if a determination was made at the decision state 216 that the type of transfer was from an accident scene, then the process 65 jumps to state 230 and begins flight tracking. Similarly, if a determination was made at the decision state 218 that the transfer was not an interfacility transfer, the process 65 jumps to state 230 and begins flight tracking. Some flights, such as for promotions, are neither from a scene or for an interfacility transfer.

Once flight tracking has begun at the state 230, the process 65 moves to a decision state 235 to determine whether any in-flight diversions have taken place. An in-flight diversion may arise because for example, a more acute emergency develops while the crew is en route. If a diversion has taken place, the reasons for the diversions are requested at a state 237. However, if no diversions take place during the flight, the process 65 verifies the flight information at a state 239 (Figure 4c) and moves to a state 245 to verify the landing zone specifications for the helicopter. For instance, the specifications may relate to noise regulations, local high voltage lines or the like. The process 65 then moves to a decision state 248 to determine whether the mandatory fields in the database have been completed. The mandatory fields are data points that must be collected before a file can be closed. For example, the patient's name, address, and phone number might be chosen by the crew as mandatory fields. The file cannot be closed until these flagged fields contain data. If the mandatory fields in the database are not completed, the process 65 returns to state 239 to verify the flight information.

If the mandatory fields are completed in the system, the process moves to a decision state 250 to determine whether any sentinel events have occurred. A sentinel event is a major happening at the accident site which might require notification to the hospital. For example, an sentinel event might be arrival at an incorrect landing zone, arrival without a crew member, an incorrect patient description, defective equipment or a lack of the required medications. If a sentinel event has occurred at the decision state 250, the process 65 moves to a state 252 and prepares an administrative notification to the party that is to be notified of the sentinel event. The process 65 then moves to a decision state 256 wherein an inquiry is made to the emergency medical team whether any interface improvements, such as additional data fields, reordering data entry screens or field clarifications could be made into the software. Similarly, if no sentinel events occurred at the decision state 250, the process 65 moves to the decision state 256 to inquire about interface improvements. This request is a chance for the emergency medical team to request improvements for the medical database system.

If an interface improvement is made at the decision state 256, then a development module is opened at a state 258 and information is requested about what type of interface improvements could be made into the medical database system. The

process 65 then moves to a state 260 to generate reports including flight records and transfer records. The process 65 then terminates at an end state 262.

2) The Clinical Module

5 Referring to Figure 5, the initialize clinical module process 70 of Figure 2 is more specifically described. The process 70 begins at a start state 300 and moves to state 302 wherein the patient demographic information from the dispatch module is imported. The process 70 then moves to a state 304 wherein any information related to the incident is collected. The incident information may be, for example, the type of accident, location of
10 accident, number of injured parties, etc. The process 70 then moves to a state 306 wherein the patient demographics are updated with the new information.

A determination is then made at a decision state 308 whether any pretreatment of the injured parties took place prior to arrival of the emergency medical team. If pretreatment did occur, the pretreatment information is collected at a state 310 and input
15 into the system 10. However, if no pretreatment occurred, the process 70 moves to state 312 wherein the patient Glasgow, CRAMS, and Champion trauma scores are determined. Once these patient scores have been calculated, the process 70 moves to a decision state 314 wherein a determination is made whether the scores are internally consistent with one another. This internal consistency check is an important feature of the system because it
20 offers a way to use the collected data to prevent incorrect treatments. If the data items are not internally consistent an error handling routine is begun at a state 320 and the process returns to the state 312. If the scores are internally consistent, the patient's vital signs are received at a state 322.

The process 70 then moves to a decision state 324 (Figure 5b) to determine
25 whether the patient's vital signs are consistent with the scores calculated at state 312. If the scores are not consistent, the process 70 returns to the inconsistency handling routine 320. This might be the case if the patient was not scored correctly or if the vital signs were input incorrectly into the system 10. If the scores are consistent, the process 70 moves to a state 326 wherein the fluid balance, including intravenous fluid administration,
30 blood loss, and urine output of the patient is tracked.

30
25
20
15
10
5
A physical exam process 330 is then run on the patient, and will be explained in more detail below in reference to Figure 6. Once the physical exam has been run at the process 330, a determination is made at a decision state 334 whether the results of the physical exam are consistent with the scores from the state 312 and vital signs from state 322. If a determination is made that the results of the physical exam are not consistent, the process 70 returns to the inconsistency handling routine 320. If a determination is made that the results of the physical exam at the process 330 are consistent with the scores and signs from states 312 and 322, the process 70 moves from decision state 334 to a decision state 350 to determine whether the physical exam finding is a diagnosis. Types of findings that are a diagnosis might be, for example, abrasions, lacerations, open fractures, dislocations, fractures with deformity, loss of consciousness and shock.

15
If a determination is made that the physical exam finding is a diagnosis, then the process 70 moves to a state 354 wherein the diagnosis is recorded into the medical database system. The process 70 then moves to a process 360 wherein the medical database system determines a diagnosis and rank for the patient. The diagnoses are ranked in accordance with the severity of the injury and level of compensation. The process 360 will be explained in more detail in reference to Figure 7 below. Once the diagnosis and rank have been determined at the process 360 a process 370 is begun to collect the treatment information for the patient.

20
25
Once the treatment plan information is collected at the process 370 the inventory used during the treatment is tracked at a state 372. The process 70 then moves to a decision state 376 to determine whether the inventory used at the state 372 is consistent with the treatment determined at the process 370. If the treatment is inconsistent with the inventory used, the process 70 moves to a state 378 and allows an amendment to correct the procedure documentation so that the inventory will be correctly reflected the next time the procedure is logged into the medical database system. The process 70 then returns to process 370 to collect the treatment plan again. If a determination is made at the decision state 376 that the inventory used was consistent with the treatment, the process 70 terminates at an end state 380.

30

A) The Physical Exam Process

Figure 6 describes the run physical exam process 330 of Figure 5 in more detail. Referring to Figure 6a, the process 330 begins at a start state 400 and moves to state 402 wherein the results of a neurological exam on the patient are received by the medical database system. A determination is then made at a decision state 404 whether the findings from the neurological exam are themselves a diagnosis. For example, a non-responsive, flaccid neurological exam indicates a loss of consciousness diagnosis. If the findings are a diagnosis, the process 330 moves to a state 406 to record the diagnosis within the medical database system. If the finding is not a diagnosis, the process 330 moves to state 408 wherein the results of a skin exam are received by the medical database system.

A determination is then made at a decision state 410 whether the results of the skin exam are a diagnosis. If the results are determined to be a diagnosis at the decision state 410, their diagnosis is recorded at a state 412 into the medical database system. If the results of the skin exam are not a diagnosis at the decision state 410, the process 330 moves to state 420 wherein the medical database system receives the results of a head, eyes, ears, nose and throat exam. Now referring to Figure 6b, the process 330 then moves to a state 422 to determine whether the results from this exam are a diagnosis. If the results are a diagnosis, they are recorded at a state 424 and the process moves to a state 426 wherein the results of a neck exam are received. If a finding were not a diagnosis at the decision state 422, the process 330 moves directly to the state 426.

Once the results of a neck exam are received at the state 426, a determination is made at the decision state 430 whether the results of the neck exam are a diagnosis. If the findings are a diagnosis, the process 330 moves to state 432 wherein the diagnosis is recorded into the medical database system. If the finding is not a diagnosis, the process 330 moves to a state 436 wherein the results of a chest exam are received into the medical database system. The process 330 then moves to a decision state 440 wherein a determination is made whether the results of the chest exam are a diagnosis. If the results of the chest exam are a diagnosis, the process 330 moves to state 442 and records the diagnosis in the medical database system.

The process 330 then moves to a state 446 and receives the results from a cardiac exam from the patient. A determination is then made at a decision state 448 whether the results of the cardiac exam are a diagnosis. If the results are a diagnosis, the process 330 moves to a state 450 and records the results of the cardiac exam as a diagnosis in the medical database system. The process 330 then moves to a state 454 wherein the results of a pulmonary exam are received in the medical database system. A determination is then made at a decision state 456 whether the findings from the pulmonary exam are a diagnosis. If the findings are a diagnosis, the process 330 moves to a state 460 wherein the diagnosis is recorded in the medical database system.

The process 330 then moves to a state 462 wherein the results of an abdominal exam on the patient are received by the medical database system. Now referring to Figure 6c, the process 330 then moves to a state 466 wherein a determination is made whether the findings from the abdominal exam are a diagnosis. If the findings are a diagnosis, the process 330 records these findings at a state 470 and moves to a state 472 wherein the results of a pulse exam are received into the medical database system. As is known, a pulse exam typically includes interval recordings or blood pressure, heart rate, respiratory rate and pulse oximetry.

Once the results of the pulse exam are received at the state 472, a determination is made at a state 474 whether the findings from the pulse exam are a diagnosis. If the findings are a diagnosis, they are recorded at a state 476 and the process thereafter moves to a state 480 wherein the results of a back exam are received. If the findings from the pulse exam are not a diagnosis, the process 330 moves directly from the decision state 474 to the state 480.

Once the results of the back exam are received at the state 480, the process 330 moves to a decision state 482 wherein a determination is made whether the findings from the back exam are a diagnosis. If the findings are a diagnosis, the process 330 records the diagnosis at a state 484 and moves to a state 486 wherein the results of an extremities exam are received by the medical database system.

If a determination were made that the finding was not a diagnosis at the decision state 482, the process 330 moves directly to the state 486. Once the results of the extremities exam are received by the medical database system, the process 330 moves to

a state 490 wherein a determination is made whether the findings from the extremities exam are a diagnosis. If the findings are a diagnosis, they are recorded in a state 492 and the process 330 thereafter moves to a decision state 494 to determine whether the findings throughout the process 330 are consistent with one another and the trauma scores. For example, a normal verbal response would not be consistent with a flaccid neurological finding. Similarly, a normal respiratory score may not be consistent with a tension pneumothorax finding.

If the findings are inconsistent, the process 330 moves to an inconsistency handler 496 to request information from the emergency medical team why the findings are inconsistent with one another. Once the inconsistency handler 496 has determined that the findings are now consistent, the process 330 moves to a state 498 wherein any amendments are made to the proper physical exam record. The process 330 then moves to a decision state 500 wherein a determination is made whether all of the mandatory fields have been completed for this module. If the mandatory fields have not been completed, the process 330 moves to an error handler 502 to request information about the empty, mandatory fields. The process 330 then terminates at an end state 504.

B) The Process of Determining a Diagnosis and Rank

Figure 7 describes the process 360 of determining the diagnosis and rank for a patient (Figure 5) in more detail. The process 360 begins at a start state 550 and then moves to a state 552 wherein a list of possible diagnoses is generated based on the results of the clinical exam. Thus, the suggested diagnoses are linked to the physical exam scores received earlier by the system. The patient historical data, physical exam data and procedural data are all taken into account when the system calculates possible diagnoses.

For example, if an unconscious patient with a head injury documented in history and the physical exam might be linked to a “acute closed head injury with loss of consciousness” diagnosis. However, if a member of the emergency medical team had inadvertently chosen in the chart that the patient was verbalizing normally, the system would request an explanation of the discrepancy.

Once the list of possible diagnoses are presented at state 552, the process 360 then moves to a decision state 556 to determine whether any diagnoses from the generated list are consistent with the results of the clinical exam. If a determination is made that none of the diagnoses are consistent with the results from the clinical exam, the process 360 moves to a state 558 wherein a diagnosis is requested from the emergency medical team. The process 360 then moves to a decision state 560 wherein the diagnosis entered by the emergency medical team is correlated with the results from the clinical exam. If the results do not correlate, the process 360 moves to a state 564 wherein the medical database system requests an explanation of the discrepancy between the entered diagnoses and results of the clinical exam. The explanation and diagnoses are then recorded in the medical database system at a state 566. The process 360 then moves to a state 570 wherein a diagnosis is selected.

However, if any diagnosis were determined to be consistent at the decision state 556, or if any input diagnosis correlated with the results of the clinical exam, the process 360 would move immediately to the state 570 wherein one of the diagnoses is selected. The process 360 then moves to a state 574 wherein a treatment protocol is suggested based on the diagnosis selected at the state 570. For example, an intubation protocol might be suggested based on a heart attack diagnosis. The process 360 then moves to a state 576 wherein the ICD-9 code is retrieved for the suggested treatment protocol from state 574. A determination is then made at a state 578 whether the ICD-9 code is complete, including all subcode numbers. If the code is incomplete, the process 360 displays a list of potential subcodes at a state 580 and the process moves to a state 582 wherein the proper code is selected from the list. The process 360 then returns to state 576 to retrieve the proper ICD-9 code. If a determination was made at the decision state 578 that the complete ICD-9 code was retrieved, the process terminates at an end state 590.

3) The Administration Module

Referring now to Figure 8, the initialize administration module process 75 (Figure 2) is described in more detail. The process 75 begins at a start state 700 and then moves to state 702 wherein the demographic information from the other software modules within the medical database system are imported into the administration

module. The process then moves to a decision state 704 wherein a determination is made as to whether the demographic information is consistent with the information contained in the other modules. For example, a patient's name might be recorded differently in the dispatch and clinical modules. Similarly, the social security number or insurance information might be inconsistent between modules. If the information is inconsistent, the process 75 moves to a state 706 wherein the information is amended to conform with the data within the other modules. The process then returns to the state 702 to re-import the demographic information.

If a determination were made at the decision state 704 that the demographic information was consistent between each module, the process 75 moves to a state 708 wherein the treatment codes from the patient encounter are collected into the medical database system. The process then moves to a state 710 wherein the inventory codes, such as ICD-9, are collected into the administration module of the medical database system. The process 75 then moves to a state 712 wherein a calculation is performed to determine the amount of inventory needed to restock the base station so that an ample quantity of medical supplies will also be available to the emergency medical team. The process 75 then moves to a decision state 720 to determine whether the treatment codes, inventory codes and base inventory calculations are consistent with one another. For instance, was an intubation tube used for a warranted intubation and not for a pericardocentesis procedure. Further, this decision checks that the amount and coding of the used supplies are correct and that, for example, an intubation tube is recorded and not a chest tube. If a determination is made that the data are not consistent, the process 75 makes amendments at a state 721 and returns to the state 708. If a determination is made that the data are consistent, the process 75 moves to a state 722 wherein the quality assurance incidents are collected. The quality assurance incidents can include procedure complications, equipment difficulties, crew interaction problems and organizational mismanagement.

The process 75 then moves to a state 724 wherein any sentinel events that occurred during the patient encounter are collected into the administration module. As discussed previously, a sentinel event is one which might require notification to a third party. Such an event might be repeated failed procedures by a crew member, prolonged

scene times, incorrect administration of medicine, performance of non-indicated procedures and unwarranted deviation from treatment protocols. The process 75 then moves to a state 726 wherein reports are generated from the administration module to the proper target audience. The target audiences may include administrators, collectors, insurers, supervisors, medical directors and governmental organizations. The process 75 then terminates at an end state 730.

A) The Collecting a Treatment Plan Process

Referring now to Figure 9a, the process of collecting a treatment plan 370 (Figure 5) is described in more detail. The process 370 begins at a start state 800 and moves to a state 802 wherein the patient's Basic Life Support (BLS) treatment information is collected by the medical database system. The BLS treatment information might include vital signs, results of an initial survey, fluid balances and immobilization procedures.

The process 370 then moves to a state 804 wherein the patient status is monitored by the emergency medical team. The status is then updated into the medical database system as changes occur in the patient's condition. The process 370 then moves to a decision state 810 wherein a determination is made whether any advanced procedures were administered to the patient. If advanced procedures were administered to the patient, the process 370 moves to a state 812 wherein the indications for the patient are recorded within the medical database system. A determination is then made at a state 814 whether the recorded indications are consistent with the results of the clinical exams and the vital signs. This feature of the system provides an efficient correcting mechanism and ensures that accurate information is entered into the system.

If a determination is made at the decision state 814 that the indications are consistent, the process 370 moves to a state 820 wherein the procedures used on the patient are recorded. However, if a determination is made at the decision state 814 that the findings and vital signs are not consistent with the recorded indications, the process 370 moves to a state 822 wherein the indications, findings or vital signs, can be amended within the medical database system. The process 370 then returns to the state 820.

Once the procedures are recorded at the state 820, the process 370 moves to a state 822 wherein any procedure notes can be entered into the medical database system. The process then moves to a decision state 830 (Figure 9b) wherein a determination is made whether all of the mandatory fields have been captured in the treatment record. If
5 some of the mandatory fields have not been captured, the process 370 returns to state 820 wherein the attending emergency medical personnel are prompted to enter data into the mandatory fields. However, if a determination is made that the mandatory fields have been captured, the process moves to a state 834 wherein the inventory used in the advanced procedures are collected. Because the inventory used is collected at the
10 incident scene, it is less likely that some inventory will be forgotten to be entered. In addition, validity checking can be done to ensure that the inventory used correlates with the treatments that were performed.

The process then moves to a state 836 wherein the patient status following the procedure is monitored and any indications are input into the medical database system.
15 The process 370 then moves to a decision state 840 wherein a determination is made whether any complications exist such as esophageal intubation, broken teeth or excessive bleeding that should be recorded into the medical database system. If such complications do exist, the process moves to a state 842 and records the complications in the medical database system log. The process 370 then moves to a decision state 846
20 wherein a determination is made whether any sentinel events occurred during the treatment.

If no sentinel events did occur, the process moves to a state 848 wherein the party responsible for the patient, such as the hospital, is notified. However, if any sentinel events did occur, the process 846 moves to a decision state 849 wherein the
25 record for that patient is flagged to indicate that sentinel events occurred during the treatment period. The process then returns to the state 848 and terminates at an end state 850.

4) The Billing System

Referring now to Figure 10, the initialize billing module process 80 (Figure 2) is
30 described in more detail. The process 80 begins at a start state 900 and then moves to a state 902 wherein a unique invoice number is generated for the bill. The process 80

then moves to a state 904 wherein a particular person (e.g.; a collector) is assigned to the invoice number generated at the state 902. The collector is responsible for tracking the progress of the invoice to ensure that it is eventually paid. Once a collector has been assigned at the state 904, the process 80 moves to a state 906 wherein the payor/demographic data is collected to identify the insurance company, HMO or individual patient responsible for paying the outstanding bill. The process 80 then moves to a state 908 wherein the clinical diagnosis data from the patient encounter is collected into the billing module. This information is used to describe the clinical encounter on the bill.

The process 80 then moves to a state 910 wherein the clinical procedure data from the clinical encounter is collected into the billing module. The clinical procedure data includes all of the procedures performed by the emergency medical team at the incident site. The specific treatments given to the patient at the incident site are then collected into the billing module at a state 912. The process 80 then moves to a state 920 wherein the inventory data corresponding to the number of syringes, drugs and other paraphernalia used by the emergency medical team are collected.

Once all of the data from the states 906 to 920 are collected, a determination is made at a decision state 924 whether there is any new data to be entered into the system. New data could relate to updated insurance policy information, patient addresses or any other data that needs to be amended or added. If a determination is made that new data does exist, the process 80 moves to a state 926 wherein the appropriate data is amended so that it can be extracted.

If a determination is made at the decision state 924 that there is no new data to enter, the process 80 moves to a decision state 926 to determine whether the extracted data is consistent with the requirements of the payor. For example, the payor may require that the inventory data include the name of the address of the vendor responsible for selling the medical equipment inventory item . If this information was not collected with the inventory data, it would be inconsistent with the payor requirements. If a determination is made that the data is inconsistent with the payor requirements, the process 80 returns to state 926 so that the data can be amended.

However, if the data is consistent with the payor requirements at the decision state 926, the process 80 moves to a decision state 930 to determine whether the data is consistent with legislative and regulatory requirements. The legislative requirements may relate, for example, to the specific dosages and types of drugs given to the patient during the encounter. Other legislative requirements may relate to the personnel configurations required for patient transport, procedure practices or types of necessary documentation. For example, it may be required that at least one doctor, one nurse and one emergency medical technician be sent to every call. If the data is inconsistent with legal requirements, the process 80 moves to a decision state 934 to determine whether the data relates to a sentinel event that occurred during the patient encounter. If a sentinel event did not occur, the process 80 returns to the state 926 so that the data can be amended to indicate the nature of the inconsistency. However, if the data did relate to a sentinel event, the process 80 moves to a state 936 to flag the data as a sentinel event (as defined above). This flag can then alert the payor that a sentinel event occurred which may require a special billing procedure.

If a determination is made that the data was consistent with legislative requirements at the decision state 930, the process 80 moves to a state 934 wherein the payment codes corresponding to all of the data is determined. The payment codes can be the industry standard ICD-9 codes or any other code required by the payor.

The process 80 then moves to a decision state 940 to determine whether the payment codes are consistent with the payor's contract. Normally, each payor's requirements are programmed into the billing module. These requirements usually relate to the format and content of the invoice. If a determination is made that the payment codes and data are inconsistent with the contract, the process moves to the decision state 934 to determine whether a sentinel event had occurred. As discussed above, sentinel events can be events that happen during the patient encounter that are worthy of special attention. The occurrence of a sentinel event might be one reason the payment codes are inconsistent with the contract terms at the decision state 940. For example, a misdiagnosis leading to an improper treatment would be one type of sentinel event that could lead to a treatment code not corresponding properly with a diagnosis code in the contract.

5 If the payment codes and data were consistent with a contract, the process 80 generates a bill at a state 944 and moves to a state 946 to determine the proper payment plan for this payer. For example, the payment plan might be a net payment due in 60 days with a 2% discount for payments made within 30 days. A determination is then made at a decision state 948 whether the payment plan chosen is consistent with the requirements from the patient's health care providing entity or institution. If a determination is made that the payment plan is not consistent, the process 80 moves to a state 950 wherein the payment plan is reviewed. The process 80 then returns to state 946 to determine a new payment plan.

10 If a determination is made at the decision state 948 that the payment plan is consistent with the contract, the plan is assigned at a state 960 and an electronic bill is submitted via, for example, an electronic communication or computer diskette at a state 962. A printed copy of the claims can then be submitted to the appropriate insurance company or agency at a state 963. The process then moves to a decision state 964 to determine if any payment has been received. If a determination is made at the decision state 964 that payment has been received for the bill submitted at the state 962, a report is generated at a state 968 and the process terminates at an end state 970.

20 However, if a determination is made that the payment has not been received at the decision state 964, the process 80 makes a decision whether to retire the insurance claim of a specific amount of money at a decision state 974. As is known in the art, to retire a claim is to flag it as uncollectable so that a collection agency is thereafter involved. If a determination is made at the decision state 974 that the claim is not to be retired, the process 80 moves to a state 976 wherein a follow-up on the bill is performed to gather more information concerning the payment. For example the number of days can be calculated between the invoice date and the current date to determine if the payment is late. The process 80 then gathers additional information from the payer at a state 978 and generates a billing report listing the accounts receivable at a state 980. The process then returns to the state 924 to determine whether all data had been extracted from the other modules.

If a determination is made at the decision state 974 to retire the claim, a collection agency is notified at a state 984 and the process thereafter moves to the state 968 to generate reports concerning the outstanding bill.

5 While the invention has been described in connection with specific embodiments thereof, it will be understood that it is capable of further modification, and this application is intended to cover any variations, uses, or adaptations of the invention following, in general, the principles of the invention and including such departures from the present invention as would be understood to those in the art as equivalent and the scope and context of the present invention is to be interpreted as including such equivalents and
10 construed in accordance with the claims appended hereto.

20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 1040 1041 1042 1043 1044 1045 1046 1047 1048 1049 1050 1051 1052 1053 1054 1055 1056 1057 1058 1059 1060 1061 1062 1063 1064 1065 1066 1067 1068 1069 1070 1071 1072 1073 1074 1075 1076 1077 1078 1079 1080 1081 1082 1083 1084 1085 1086 1087 1088 1089 1090 1091 1092 1093 1094 1095 1096 1097 1098 1099 1100 1101 1102 1103 1104 1105 1106 1107 1108 1109 1110 1111 1112 1113 1114 1115 1116 1117 1118 1119 1120 1121 1122 1123 1124 1125 1126 1127 1128 1129 1130 1131 1132 1133 1134 1135 1136 1137 1138 1139 1140 1141 1142 1143 1144 1145 1146 1147 1148 1149 1150 1151 1152 1153 1154 1155 1156 1157 1158 1159 1160 1161 1162 1163 1164 1165 1166 1167 1168 1169 1170 1171 1172 1173 1174 1175 1176 1177 1178 1179 1180 1181 1182 1183 1184 1185 1186 1187 1188 1189 1190 1191 1192 1193 1194 1195 1196 1197 1198 1199 1200 1201 1202 1203 1204 1205 1206 1207 1208 1209 1210 1211 1212 1213 1214 1215 1216 1217 1218 1219 1220 1221 1222 1223 1224 1225 1226 1227 1228 1229 1230 1231 1232 1233 1234 1235 1236 1237 1238 1239 1240 1241 1242 1243 1244 1245 1246 1247 1248 1249 1250 1251 1252 1253 1254 1255 1256 1257 1258 1259 1260 1261 1262 1263 1264 1265 1266 1267 1268 1269 1270 1271 1272 1273 1274 1275 1276 1277 1278 1279 1280 1281 1282 1283 1284 1285 1286 1287 1288 1289 1290 1291 1292 1293 1294 1295 1296 1297 1298 1299 1300 1301 1302 1303 1304 1305 1306 1307 1308 1309 1310 1311 1312 1313 1314 1315 1316 1317 1318 1319 1320 1321 1322 1323 1324 1325 1326 1327 1328 1329 1330 1331 1332 1333 1334 1335 1336 1337 1338 1339 1340 1341 1342 1343 1344 1345 1346 1347 1348 1349 1350 1351 1352 1353 1354 1355 1356 1357 1358 1359 1360 1361 1362 1363 1364 1365 1366 1367 1368 1369 1370 1371 1372 1373 1374 1375 1376 1377 1378 1379 1380 1381 1382 1383 1384 1385 1386 1387 1388 1389 1390 1391 1392 1393 1394 1395 1396 1397 1398 1399 1400 1401 1402 1403 1404 1405 1406 1407 1408 1409 1410 1411 1412 1413 1414 1415 1416 1417 1418 1419 1420 1421 1422 1423 1424 1425 1426 1427 1428 1429 1430 1431 1432 1433 1434 1435 1436 1437 1438 1439 1440 1441 1442 1443 1444 1445 1446 1447 1448 1449 1450 1451 1452 1453 1454 1455 1456 1457 1458 1459 1460 1461 1462 1463 1464 1465 1466 1467 1468 1469 1470 1471 1472 1473 1474 1475 1476 1477 1478 1479 1480 1481 1482 1483 1484 1485 1486 1487 1488 1489 1490 1491 1492 1493 1494 1495 1496 1497 1498 1499 1500 1501 1502 1503 1504 1505 1506 1507 1508 1509 1510 1511 1512 1513 1514 1515 1516 1517 1518 1519 1520 1521 1522 1523 1524 1525 1526 1527 1528 1529 1530 1531 1532 1533 1534 1535 1536 1537 1538 1539 1540 1541 1542 1543 1544 1545 1546 1547 1548 1549 1550 1551 1552 1553 1554 1555 1556 1557 1558 1559 1560 1561 1562 1563 1564 1565 1566 1567 1568 1569 1570 1571 1572 1573 1574 1575 1576 1577 1578 1579 1580 1581 1582 1583 1584 1585 1586 1587 1588 1589 1590 1591 1592 1593 1594 1595 1596 1597 1598 1599 1600 1601 1602 1603 1604 1605 1606 1607 1608 1609 1610 1611 1612 1613 1614 1615 1616 1617 1618 1619 1620 1621 1622 1623 1624 1625 1626 1627 1628 1629 1630 1631 1632 1633 1634 1635 1636 1637 1638 1639 1640 1641 1642 1643 1644 1645 1646 1647 1648 1649 1650 1651 1652 1653 1654 1655 1656 1657 1658 1659 1660 1661 1662 1663 1664 1665 1666 1667 1668 1669 1670 1671 1672 1673 1674 1675 1676 1677 1678 1679 1680 1681 1682 1683 1684 1685 1686 1687 1688 1689 1690 1691 1692 1693 1694 1695 1696 1697 1698 1699 1700 1701 1702 1703 1704 1705 1706 1707 1708 1709 1710 1711 1712 1713 1714 1715 1716 1717 1718 1719 1720 1721 1722 1723 1724 1725 1726 1727 1728 1729 1730 1731 1732 1733 1734 1735 1736 1737 1738 1739 1740 1741 1742 1743 1744 1745 1746 1747 1748 1749 1750 1751 1752 1753 1754 1755 1756 1757 1758 1759 1760 1761 1762 1763 1764 1765 1766 1767 1768 1769 1770 1771 1772 1773 1774 1775 1776 1777 1778 1779 1780 1781 1782 1783 1784 1785 1786 1787 1788 1789 1790 1791 1792 1793 1794 1795 1796 1797 1798 1799 1800 1801 1802 1803 1804 1805 1806 1807 1808 1809 1810 1811 1812 1813 1814 1815 1816 1817 1818 1819 1820 1821 1822 1823 1824 1825 1826 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1849 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1869 1870 1871 1872 1873 1874 1875 1876 1877 1878 1879 1880 1881 1882 1883 1884 1885 1886 1887 1888 1889 1890 1891 1892 1893 1894 1895 1896 1897 1898 1899 1900 1901 1902 1903 1904 1905 1906 1907 1908 1909 1910 1911 1912 1913 1914 1915 1916 1917 1918 1919 1920 1921 1922 1923 1924 1925 1926 1927 1928 1929 1930 1931 1932 1933 1934 1935 1936 1937 1938 1939 1940 1941 1942 1943 1944 1945 1946 1947 1948 1949 1950 1951 1952 1953 1954 1955 1956 1957 1958 1959 1960 1961 1962 1963 1964 1965 1966 1967 1968 1969 1970 1971 1972 1973 1974 1975 1976 1977 1978 1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 2026 2027 2028 2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049 2050 2051 2052 2053 2054 2055 2056 2057 2058 2059 2060 2061 2062 2063 2064 2065 2066 2067 2068 2069 2070 2071 2072 2073 2074 2075 2076 2077 2078 2079 2080 2081 2082 2083 2084 2085 2086 2087 2088 2089 2090 2091 2092 2093 2094 2095 2096 2097 2098 2099 2100 2101 2102 2103 2104 2105 2106 2107 2108 2109 2110 2111 2112 2113 2114 2115 2116 2117 2118 2119 2120 2121 2122 2123 2124 2125 2126 2127 2128 2129 2130 2131 2132 2133 2134 2135 2136 2137 2138 2139 2140 2141 2142 2143 2144 2145 2146 2147 2148 2149 2150 2151 2152 2153 2154 2155 2156 2157 2158 2159 2160 2161 2162 2163 2164 2165 2166 2167 2168 2169 2170 2171 2172 2173 2174 2175 2176 2177 2178 2179 2180 2181 2182 2183 2184 2185 2186 2187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 2201 2202 2203 2204 2205 2206 2207 2208 2209 2210 2211 2212 2213 2214 2215 2216 2217 2218 2219 2220 2221 2222 2223 2224 2225 2226 2227 2228 2229 2230 2231 2232 2233 2234 2235 2236 2237 2238 2239 2240 2241 2242 2243 2244 2245 2246 2247 2248 2249 2250 2251 2252 2253 2254 2255 2256 2257 2258 2259 2260 2261 2262 2263 2264 2265 2266 2267 2268 2269 2270 2271 2272 2273 2274 2275 2276 2277 2278 2279 2280 2281 2282 2283 2284 2285 2286 2287 2288 2289 2290 2291 2292 2293 2294 2295 2296 2297 2298 2299 2300 2301 2302 2303 2304 2305 2306 2307 2308 2309 2310 2311 2312 2313 2314 2315 2316 2317 2318 2319 2320 2321 2322 2323 2324 2325 2326 2327 2328 2329 2330 2331 2332 2333 2334 2335 2336 2337 2338 2339 2340 2341 2342 2343 2344 2345 2346 2347 2348 2349 2350 2351 2352 2353 2354 2355 2356 2357 2358 2359 2360 2361 2362 2363 2364 2365 2366 2367 2368 2369 2370 2371 2372 2373 2374 2375 2376 2377 2378 2379 2380 2381 2382 2383 2384 2385 2386 2387 2388 2389 2390 2391 2392 2393 2394 2395 2396 2397 2398 2399 2400 2401 2402 2403 2404 2405 2406 2407 2408 2409 2410 2411 2412 2413 2414 2415 2416 2417 2418 2419 2420 2421 2422 2423 2424 2425 2426 2427 2428 2429 2430 2431 2432 2433 2434 2435 2436 2437 2438 2439 2440 2441 2442 2443 2444 2445 2446 2447 2448 2449 2450 2451 2452 2453 2454 2455 2456 2457 2458 2459 2460 2461 2462 2463 2464 2465 2466 2467 2468 2469 2470 2471 2472 2473 2474 2475 2476 2477 2478 2479 2480 2481 2482 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496 2497 2498 2499 2500 2501 2502 2503 2504 2505 2506 2507 2508 2509 2510 2511 2512 2513 2514 2515 2516 2517 2518 2519 2520 2521 2522 2523 2524 2525 2526 2527 2528 2529 2530 2531 2532 2533 2534 2535 2536 2537 2538 2539 2540 2541 2542 2543 2544 2545 2546 2547 2548 2549 2550 2551 2552 2553 2554 2555 2556 2557 2558 2559 2560 2561 2562 2563 2564 2565 2566 2567 2568 2569 2570 2571 2572 2573 2574 2575 2576 2577 2578 2579 2580 2581 2582 2583 2584 2585 2586 2587 2588 2589 2590 2591 2592 2593 2594 2595 2596 2597 2598 2599 2600 2601 2602 2603 2604 2605 2606 2607 2608 2609 2610 2611 2612 2613 2614 2615 2616 2617 2618 2619 2620 2621 2622 2623 2624 2625 2626 2627 2628 2629 2630 2631 2632 2633 2634 2635 2636 2637 2638 2639 2640 2641 2642 2643 2644 2645 2646 2647 2648 2649 2650 2651 2652 2653 2654 2655 2656 2657 2658 2659 2

[illegible]

5

10

-33-

INTEGRATED EMERGENCY MEDICAL TRANSPORTATION DATABASE SYSTEM

Abstract of the Disclosure

5 An integrated medical database system for the emergency medical transportation
business is disclosed. The system includes a dispatch module, clinical module,
administration module and billing module. Each module may communicate data with
one or more of the other modules to form a system incorporating data sharing, thus
achieving an end-to-end automation of emergency medical care accounting. Internal
consistency checks are performed by the system to ensure that proper treatments are
10 performed according to a chosen diagnosis.

S:\DOCS\MLF\MLF-3948.DOC
091200




FIG. 1




FIG. 2





FIG. 4



INITIALIZE
DISPATCH
MODULE





FIG. 4b








FIG. 4c

FIG. 5



INITIALIZE
CLINICAL
MODULE






FIG. 6

RUN PHYSICAL
EXAM PROCESS

FIG. 6a




FIG. 6b






FIG. 6c





INITIALIZE
ADMINISTRATION
MODULE




FIG. 8


GATHERING
A TREATMENT
PLAN PROCESS

FIG. 9

FIG. 9a

FIG. 9b

FIG. 9a






FIG. 9b


FIG. 10A

FIG. 10B

FIG. 10

FIG. 10A

80






FIG. 10B